

Specifications:

Charger Unit:

Input voltage: 8-16VDC
Output voltage: 5.3VDC
Output power per channel: 500-1000mAh
Total Power Output (max.): 3A
Safety Features: Short circuit, current limited
Outputs: 6 – USB power compatible (2 - USB "A" female / 4 – Univ. Cable , ø3.5 x 1.1 mm, fem. 1.5" long)
Indicator: Power present – Blue LED
Dimensions: 109mm dia. x 46mm (4.3 x 1.8 in.)
Weight: 159g (5.6 oz.)
Operating Temperature: 0 – 30°C
Operating Humidity: 20% - 85% (non-condensing)

AC Adapter:

Input: 100-240VAC, 50/60Hz
Output: 12V/2.5A
Certification: UL, UL-C, CEC IV

Limited 3 Year Warranty

This limited warranty starts from the date of original purchase and expires three years thereafter. If, during this period, any part, because of manufacturing defects or workmanship, fails to function properly under normal use it will be repaired at no charge for parts and labor or, at our option, the product will be replaced. The following is excluded: damages from delay or loss of use of equipment or damaged batteries, malfunctions resulting from misuse, tampering, unauthorized repairs, modifications or accident.

Package the unit and its accessories carefully using ample padding material to prevent damage in transit and ship it prepaid and insured to:

LENMAR ENTERPRISES, INC.
4035 Via Pescador
Camarillo, CA 93012 USA

When sending in product for service, your package should include evidence of date and place of purchase. Enclose \$10.00 for shipping and handling for addresses in the U.S. and \$15.00 in Canada. For outside the U.S. and Canada, freight will vary depending upon ship-to address.

Proposition 65 Notice (California)

The following statement is required in the state of California pursuant to the settlement of an action brought by the Mateel Environmental Justice Foundation against multiple electronics and appliance manufacturers

WARNING: Handling the cord on this product will expose you to lead, a chemical known to the state of California to cause birth defects or other reproductive harm. Wash hands after handling.

For additional questions, comments or to explore other Lenmar battery solutions, visit our web site at: www.poweredbylenmar.com or call 805/384-9600 from 9AM - 5PM PST.

4.

308-217-W r1

The PowerPort Hub package includes:

- Universal tips for Motorola®, Blackberry®, iPhone®/iPod®, Samsung®, LG®, Mini-USB and Micro-USB
- One Retractable USB / Universal cable
- PowerPort Hub Base Charger Unit
- International compatible AC adapter
- Built-in storage compartment with twist-off lid for easy access
- 3 Year Warranty

Caution and Maintenance:

- Please keep the PowerPort Hub and accessories out of the reach of small children.
- Do not expose the Hub to high temperatures.
- Do not attempt to open the base as it will void warranty, no user serviceable parts inside
- Use only the recommended power supply or power adapter.
- Do not modify or otherwise alter the unit.
- Dry use only. Keep away from water or moisture.
- PowerPort or the AC adapter may become warm during use.

Setup:

1. Plug AC adapter cable into wall socket
2. Plug power cable into PowerPort Hub
3. The blue power indicator under the lid on the PowerPort Hub will illuminate to show it is receiving power.

Use:

The PowerPort Hub has 2 different ways to connect your device. You can use any one of the four built-in cables along with the proper universal tip for your device, or you can use any available standard USB charge or USB charge/sync cable and plug into either of the two built-in USB connectors (see Figure 1). The built-in cables are stored neatly out of the way on the underside of the charger unit and can be easily pulled out and extended away from the body of the unit for use (see Figure 2). Similarly, when you are done charging and you want to return to a clean uncluttered look, simply tuck the cable back into its slot on the underside of the unit. All of the tips and cables you need can be stored under the lid of the PowerPort Hub for easy access whenever you need them.

2.

LENMAR

PowerPort™ Hub Universal Charging Station

Model PPUHUB6

PLEASE READ THIS INFORMATION THOROUGHLY BEFORE USING THIS PRODUCT. IT CONTAINS IMPORTANT OPERATING INSTRUCTIONS FOR YOUR POWERPORT HUB UNIT.

Owner's Manual

Thank you for purchasing the PowerPort Hub Charging Station.

The PowerPort Hub is an attractive family charging station that is designed to compliment any home's décor and can charge up to 6 portable devices at one time. Fully compatible with any device that can be recharged through a USB port, it can recharge your iPhone®/iPod®, cell phone, Bluetooth headsets, PDA, portable game, Lenmar's PowerPort series batteries, some digital cameras and a lot more. The PowerPort Hub has 2 built-in standard USB ports for use with cables you may already have, plus 4 more built-in cable ends that accept Lenmar's universal tips for current devices and new devices in the future. When not in use, the extra tips and cables can be kept in the PowerPort Hub's convenient internal storage area keeping the area tidy and free of clutter, plus the unused universal cable ends tuck neatly under the unit and out of the way.

1.




Fig. 1




Fig. 2

1. Choose the appropriate tip for the device to be charged and connect it to any of the built-in Universal Cable ends or you can select your own USB cable and plug it into either of the two standard USB sockets provided.

2. Connect your device to the appropriate cable and your device will indicate that it is charging. You may connect and charge up to six devices to the PowerPort Hub at one time. When using the PowerPort Hub to recharge your devices, the normal charging instructions and charge times from your device will apply.

Note: Some devices, like many Nokia® phones, are not compatible with charging from standard USB ports. These devices may require special cables or connectors to adapt them for charging from a standard USB port. For these devices, Lenmar may have the proper tip or cable available or you may need to refer to the manufacturer to obtain the proper charge cable for your device.

3.